

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/748,441	12/27/2000	Wolfgang Daum	9D-HR-19614-DAUM ET 4179 AL	
7590 03/09/2007 John S. Beulick Armstrong Teasdale LLP ONE METROPOLITAN SQUARE SUITE 2600 ST. LOUIS, MO 63102			EXAMINER	
			DINH, MINH	
			ART UNIT	PAPER NUMBER
			2132	
			MAIL DATE	DELIVERY MODE
			03/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

Application No.	Applicant(s)			
09/748,441	DAUM ET AL.			
Examiner	Art Unit			
Minh Dinh	2132			
ears on the cover sheet with the co (OR REMAINS) CLOSED in this applied or other appropriate communication IGHTS. This application is subject to 3 and MPEP 1308.	plication. If not included			
dment authorized on 3/6/07.				
3.				
5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	atent Application (PTO-413), te			
	Examiner Minh Dinh Pars on the cover sheet with the county (OR REMAINS) CLOSED in this apport of the appropriate communication (GHTS. This application is subject to an an authorized on 3/6/07. Inder 35 U.S.C. § 119(a)-(d) or (f). Inder 36 U.S.C. § 119(a)-(d) or (f). Inder 35 U.S.C. § 119(a)-(

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eric Krischke on 3/6/07.

The claims have been amended as follows:

18. (Amended) The method of claim [17] 16, further comprising incrementing the third shared message counter, as stored in the first appliance, after receiving a genuine authenticated message at the first appliance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh Dinh whose telephone number is 571-272-3802. The examiner can normally be reached on Mon-Fri: 10:00am-6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799.

Application/Control Number: 09/748,441

Art Unit: 2132

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MD

Minh Dinh Examiner Art Unit 2132 Page 3

3/7/07

GILBERTO BARRON JC SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

Glout 3